

# DMInteract®

From Visualization to Collaboration

uilt-



## **DMInteract DM90L**

4,000 Lumens DLP Laser  
FHD Smart Wi-Fi Android  
Home Theater Projector



***BEST IN CLASS***

**DMINTERACT DM90L**

**4,000 Lumens DLP Laser FHD Smart Wi-Fi  
Android Home Theater Projector**

# PRODUCT OVERVIEW

The DMInteract DM90L is a high-performance projector featuring native Full HD resolution (1920 x 1080) with support for 4K video input, ensuring stunning picture clarity. With 4000 lumens brightness and a 20,000:1 contrast ratio, it delivers vivid images and deep blacks. Its OSRAM RGB 3LED lamps boast a 50,000-hour lifespan. The projector supports real shutter DLP-LINK 3D technology for an immersive 3D experience and has a versatile throw range of 30 to 300 inches. Smart TOF laser auto-focus ensures sharp images, while built-in 10W x 2 speakers provide super bass surround sound. Featuring dual-band Wi-Fi, Bluetooth 5.0, USB and HD ports, and running on Android 11.0 with pre-installed apps like Netflix and YouTube, the DM90L offers seamless connectivity and endless entertainment options.



Bluetooth



android

# **DMInteract DM90L Specifications: DLP Tech, Full HD, 4000 Lumens, Smart Features:**

<b>Brand Name:</b>	<b>DMInteract</b>
<b>Model Number:</b>	<b>DM90L</b>
<b>Display Type:</b>	<b>Texas Instruments Ti DLP Technology</b>
<b>Display Chip:</b>	<b>Ti 0.47 inch DMD (With off-axis 100% optical engine)</b>
<b>Standard Resolution:</b>	<b>Native Full HD 1920 x 1080, Max support 4K Video signal input</b>
<b>Brightness:</b>	<b>4000 Lumens</b>
<b>Lamp:</b>	<b>OSRAM RGB 3LED Lamps, Lifetime 50000 Hours</b>
<b>Uniformity:</b>	<b>&gt;98%</b>
<b>FOFO Contrast Ratio:</b>	<b>20,000:1</b>
<b>Aspect Ratio:</b>	<b>16:9/4:3</b>
<b>Throw Ratio:</b>	<b>1.2:1</b>
<b>Throw Distance:</b>	<b>1-6Meter(s)</b>
<b>Throw Range:</b>	<b>30-300 inches</b>

# DMInteract DM90L Specifications: DLP Tech, Full HD, 4000 Lumens, Smart Features:

<b>Electronic Zoom:</b>	Support remote control of electronic (global zoom, horizontal zoom, vertical zoom)
<b>Keystone Correction:</b>	Auto/Manual $\pm 45^\circ$ vertical keystone; $\pm 45^\circ$ manual corner keystone(for projection from the side)
<b>Focus Mode:</b>	TOF Laser Auto Focus
<b>3D:</b>	Real shutter DLP-LINK 3D
<b>Projection Methods:</b>	Front Projection, Rear Projection, Hanging Cast
<b>Built-in Loudspeaker:</b>	10W x 2 (Super Bass Surround Sound)
<b>CPU:</b>	MTK (64 bits Contex A53) Decode 4K H265/AVS2 4K x 2K/30HZ
<b>Clock Speed:</b>	Mali-G52
<b>Cache:</b>	2G DDR3
<b>RAM:</b>	32GB eMMC
<b>Operating System:</b>	Android 11.0
<b>Fan Noise:</b>	<28dB

# DMInteract DM90L Specifications: DLP Tech, Full HD, 4000 Lumens, Smart Features:

<b>Wireless Connectivity:</b>	<b>Wi-Fi: 2.4G / 5.0G Dual-Band Wi-Fi And BT5.0 (can be connected to an external Bluetooth mouse, Bluetooth speaker, mouse, gamepad)</b>
<b>Pre-installed App:</b>	<b>Google play store, Aptoide TV, Video APP: Netflix, YouTube, Prime Video, Hulu, Disney+ etc.</b>
<b>Wireless Projection App:</b>	<b>Support Airplay (The pre-installed is Eshare APP), Miracast Support smartphone, tablet, computer wireless display to the projector</b>
<b>Input interface:</b>	<b>USB 2.0 (Able to read data from USB hard drive, support mouse and keyboard access) x 2, HD 2.0 (Max support 4K Video signal input) x 1, RJ45(Network port) x 1, DC-in (DC19V 3.42A, DC5.5mm x 2.5mm)</b>
<b>Output interface:</b>	<b>Audio-out (3.5mm Headphone Output, can connect headphones or speakers)</b>
<b>Power Adapter &amp; Consumption:</b>	<b>AC100-240V, 50/60Hz &amp; 72W</b>
<b>Work Temperature &amp; Humidity:</b>	<b>0°C~35°C And 45~90%</b>
<b>Product Size &amp; Weight:</b>	<b>15.9 x 18.7 x 19.8cm &amp; 2.35 Kg</b>



SPECIAL OFFER

# ORDER NOW



 **DEALER ADDRESS:**

Showroom G-02, IT Plaza, Dubai Silicon Oasis, Dubai, United Arab Emirates

 **CANADA OFFICE:**

DMInteract Inc 801 Dundas Street East, Unit #D6, Mississauga, Ontario, L4Y 4G9

 **CONTACT NUMBER:**

+971-4-3360300 - (Dubai Office)

437-880-7712 - (Mississauga Office)

 **EMAIL ADDRESS:**

[info@dminteract.com](mailto:info@dminteract.com)